	Туре	L #	Hits	Search Text	DBs
1	IS&R	L1	1454	(335/205-207).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1639106	magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1522960	sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	244	1 2 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L8	1	("6506987").PN. OR ("6803845").URPN.	US-PGPUB; USPAT; USOCR
6	BRS	L9		("5530428" "5610338" "5880659" "5977873").PN. OR ("6506987").URPN.	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
7		L10		("1051962" "1192893" "1868923" "3516036" "3535664" "3630168" "3650347" "3763484" "3816680" "3818160" "3842377" "3916127" "4001185" "4042796" "4057773" "4062314" "4168410" "4185651" "4210888" "4275391" "4293860" "4326196" "4336518" "4450326" "4456897" "4493066" "4553134" "4567846"	US-PGPUB; USPAT; USOCR
8	BRS	L11	4	1"5929/31" "59//8/3").PN.	US-PGPUB; USPAT; USOCR
9	BRS	L12	10	1001 11 1 11 600066011 1 11 6077707311 1 11 6	US-PGPUB; USPAT; USOCR
10	IS&R	L13	240	(340/547).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L14	42454	magnet\$4.clm.	US-PGPUB
12	BRS	L16	52850	conductive.clm.	US-PGPUB
13	BRS	L17	124994	contact.clm.	US-PGPUB

	Туре	L #	Hits	Search Text	DBs
14	BRS	L18	4230673		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L19	171590	2 with 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L20	42454	magnet\$4.clm.	US-PGPUB
17	BRS	L21	1564	14 and 16 and 17	US-PGPUB
18	BRS	L22	129565	(body ball armature plunger).clm.	US-PGPUB
19	BRS	L23	207091	(element terminal).clm.	US-PGPUB
20	BRS	L24	202	21 and 22 and 23	US-PGPUB